# Journal of MOLECULAR BIOLOGY

**Editor in Chief**
**S. BRENNER**

**Editors**

P. Chambon
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

**Associate Editors**

C. R. Cantor
N.-H. Chua
D. J. DeRosier
A. R. Fersht
W. A. Hendrickson
I. B. Holland
J. Karn
R. Laskey
V. Luzzati
J. L. Mandel
B. Matthews
J. H. Miller
M. F. Moody
T. Richmond
R. Schleif
N. L. Sternberg
P. Wright
K. R. Yamamoto
M. Yanagida

Volume 210

5 November to 20 December 1989

ACADEMIC PRESS

*Harcourt Brace Jovanovich, Publishers*

London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

QH
501
.J73

Copyright © 1989, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

# Contents of Volume 210

## Number 1, 5 November 1989

**Kerrebrock, A. W., Srivastava, R. and Gerbi, S. A.,** Isolation and Characterization of Ribosomal DNA Variants from *Sciara coprophila* . . . . . 1

**Fournier, D., Karch, F., Bride, J.-M., Hall, L. M. C., Berge, J.-B. and Spierer, P.,** *Drosophila melanogaster* Acetylcholinesterase Gene. Structure, Evolution and Mutations . . . . . 15

**Tsurushita, N., Shigesada, K. and Imai, M.,** Mutant rho Factors with Increased Transcription Termination Activities. I. Functional Correlations of the Primary and Secondary Polynucleotide Binding Sites with the Efficiency and Site-selectivity of rho-dependent Termination . . . . . 23

**Mori, H., Imai, M. and Shigesada, K.,** Mutant rho Factors with Increased Transcription Termination Activities. II. Identification and Functional Dissection of Amino Acid Changes. . . . . 39

**Schreier, H. J., Brown, S. W., Hirschi, K. D., Nomellini, J. F. and Sonenshein, A. L.,** Regulation of *Bacillis subtilis* Glutamine Synthetase Gene Expression by the Product of the *glnR* Gene . . . . . 51

**Morett, E. and Buck, M.,** *In Vivo* Studies on the Interaction of RNA Polymerase-$\sigma^{54}$ with the *Klebsiella pneumoniae* and *Rhizobium meliloti nifH* Promoters. The Role of NifA in the Formation of an Open Promoter Complex . . . . . 65

**Khosla, C. and Bailey, J. E.,** Evidence for Partial Export of *Vitreoscilla* Hemoglobin into the Periplasmic Space in *Escherichia coli*. Implications for Protein Function . . 79

**Kim, S., Smith, T. J., Chapman, M. S., Rossmann, M. G., Pevear, D. C., Dutko, F. J., Felock, P. J., Diana, G. D. and McKinlay, M. A.,** Crystal Structure of Human Rhinovirus Serotype 1A (HRV1A) . . . . . 91

**Peckham, M. and Irving, M.,** Myosin Crossbridge Orientation in Demembranated Muscle Fibres Studied by Birefringence and X-ray Diffraction Measurements . . . . 113

**Yamaguchi, K., Kikuchi, Y., Takagi, T., Kikuchi, A., Oyama, F., Shimura, K. and Mizuno, S.,** Primary Structure of the Silk Fibroin Light Chain Determined by cDNA Sequencing and Peptide Analysis . . . . . 127

**Ruhnau, K., Gaertner, A. and Wegner, A.,** Kinetic Evidence for Insertion of Actin Monomers between the Barbed Ends of Actin Filaments and Barbed End-bound Insertin, a Protein Purified from Smooth Muscle . . . . . 141

**Arents, G. and Love, W. E.,** *Glycera dibranchiata* Hemoglobin. Structure and Refinement at 1·5 Å Resolution . . . . . 149

**Karplus, P. A. and Schulz, G. E.,** Substrate Binding and Catalysis by Glutathione Reductase as Derived from Refined Enzyme:Substrate Crystal Structures at 2 Å Resolution . . . . . 163

**Nicholson, H., Söderlind, E., Tronrud, D. E. and Matthews, B. W.,** Contributions of Left-handed Helical Residues to the Structure and Stability of Bacteriophage T4 Lysozyme . . . . . 181

**Edelman, J. and White, S. H.,** Linear Optimization of Predictors for Secondary Structure. Application to Transbilayer Segments of Membrane Proteins . . . . . 195

**Delepierre, M., Maroun, R., Garbay-Jaureguiberry, C., Igolen, J. and Roques, B. P.,** $^{1}H$ and $^{31}P$ Nuclear Magnetic Resonance Studies of the Differences in DNA Deformation Induced by Anti-tumoral 7H-pyrido[4,3-c]carbazole Dimers . . . 211

**Letters to the Editor**

**Ménissier-de Murcia, J., Molinete, M., Gradwohl, G., Simonin, F. and de Murcia, G.,** Zinc-binding Domain of Poly(ADP-ribose)polymerase Participates in the Recognition of Single Strand Breaks on DNA . . . . . 229

**Lehmann, M. S., Pebay-Peyroula, E., Cohen-Addad, C. and Odani, S.,** Crystallographic Data for Soybean Hydrophobic Protein . . . . . 235

**Lloyd, L. F., Skarżyński, T., Wonacott, A. J., Cawston, T. E., Clark, I. M., Mannix, C. J. and Harper, G. P.,** Crystallization and Preliminary X-ray Analysis of Porcine Synovial Collagenase . . . . . 237

**Lim, L. W., Stegeman, R. A., Leimgruber, N. K., Gierse, J. K. and Abdel-Meguid, S. S.,** Preliminary Crystallographic Study of Glycosylated Recombinant Human Renin . . . . . 239

**Onesti, S., Lloyd, L. F., Brick, P. and Blow, D. M.,** Crystallization and Preliminary Diffraction Studies of *Erythrina* Trypsin Inhibitor . . . . . 241

**Erratum** . . . . . 243

## Number 2, 20 November 1989

**Amemiya, K.,** Conserved Sequence Elements Upstream and Downstream from the Transcription Initiation Site of the *Caulobacter crescentus rrn*A Gene Cluster . . 245

**Ambrose, C., Rajadhyaksha, A., Lowman, H. and Bina, M.,** Locations of Nucleosomes on the Regulatory Region of Simian Virus 40 Chromatin . . . . . 255

**Altuvia, S., Kornitzer, D., Teff, D. and Oppenheim, A. B.,** Alternative mRNA Structures of the *c*III Gene of Bacteriophage $\lambda$ Determine the Rate of Its Translation Initiation . . . . . 265

**Slauch, J. M. and Silhavy, T. J.,** Genetic Analysis of the Switch that Controls Porin Gene Expression in *Escherichia coli* K-12 . . . . . 281

**Régnier, P. and Grunberg-Manago, M.,** Cleavage by RNase III in the Transcripts of the *metY-nusA-infB* Operon of *Escherichia coli* Releases the tRNA and Initiates the Decay of the Downstream mRNA . . . . . 293

**Chatterjee, B. and Lo, C. W.,** Chromosomal Recombination and Breakage Associated with Instability in Mouse Centromeric Satellite DNA . . . . . 303

**Louie, G. V. and Brayer, G. D.,** A Polypeptide Chain-refolding Event Occurs in the Gly82 Variant of Yeast Iso-1-cytochrome *c* . . . . . 313

**Mandiyan, V., Tumminia, S., Wall, J. S., Hainfeld, J. F. and Boublik, M.,** Protein-induced Conformational Changes in 16 S Ribosomal RNA during the Initial Assembly Steps of the *Escherichia coli* 30 S Ribosomal Subunit . . . . . 323

**Hulmes, D. J. S., Kadler, K. E., Mould, A. P., Hojima, Y., Holmes, D. F., Cummings, C., Chapman, J. A. and Prockop, D. J.,** Pleomorphism in Type I Collagen Fibrils Produced by Persistence of the Procollagen N-Propeptide . . . 337

**Gros, P., Betzel, Ch., Dauter, Z., Wilson, K. S. and Hol, W. G. J.,** Molecular Dynamics Refinement of a Thermitase–Eglin-c Complex at 1·98 Å Resolution and Comparison of Two Crystal Forms that Differ in Calcium Content . . . . . 347

**Heinemann, U. and Alings, C.,** Crystallographic Study of One Turn of G/C-rich *B*-DNA 369

**Fukuyama, K., Matsubara, H., Tsukihara, T. and Katsube, Y.,** Structure of [4Fe–4S] Ferredoxin from *Bacillus thermoproteolyticus* Refined at 2·3 Å Resolution. Structural Comparisons of Bacterial Ferredoxins . . . . . 383

**Lipanov, A. A., Beglov, D. B. and Chuprina, V. P.,** DNA *B* to *D* Transition Can Be Explained in Terms of Hydration Economy of the Minor Groove Atoms . . . 399

**Letter to the Editor**

**Hermann, R., Hoeveler, A. and Doerfler, W.,** Sequence-specific Methylation in a Downstream Region of the Late E2A Promoter of Adenovirus Type 2 DNA Prevents Protein Binding . . . . . 411

## Number 3, 5 December 1989

**Berchtold, M. W.,** Parvalbumin Genes from Human and Rat are Identical in Intron/Exon Organization and Contain Highly Homologous Regulatory Elements and Coding Sequences . . . . . 417

**Becker, M. M. and Wang, Z.,** Origin of Ultraviolet Damage in DNA . . . . 429

**Lin, L.-L. and Little, J. W.,** Autodigestion and RecA-dependent Cleavage of $Ind^-$ Mutant LexA Proteins . . . . . 439

**Yang, X., Goliger, J. A. and Roberts, J. W.,** Specificity and Mechanism of Antitermination by Q Proteins of Bacteriophages $\lambda$ and 82 . . . . . 453

**Goliger, J. A. and Roberts, J. W.,** Sequences Required for Antitermination by Phage 82 Q Protein . . . . . 461

**Heuser, J. and Griffith, J.,** Visualization of RecA Protein and its Complexes with DNA by Quick-freeze/Deep-etch Electron Microscopy. . . . . 473

**McKittrick, N. H. and Smith, G. R.,** Activation of Chi Recombinational Hotspots by RecBCD-like Enzymes from Enteric Bacteria . . . . . 485

**Stroke, I. L. and Weiner, A. M.,** The 5′ End of U3 snRNA can be Crosslinked *in Vivo* to the External Transcribed Spacer of Rat Ribosomal RNA Precursors . . . . 497

**Cowing, D. W. and Gross, C. A.,** Interaction of *Escherichia coli* RNA Polymerase Holoenzyme Containing $\sigma^{32}$ with Heat Shock Promoters. DNase I Footprinting and Methylation Protection . . . . . 513

**Cowing, D. W., Mecsas, J., Record, M. T., Jr and Gross, C. A.,** Intermediates in the Formation of the Open Complex by RNA Polymerase Holoenzyme Containing the Sigma Factor $\sigma^{32}$ at the *groE* Promoter . . . . . 521

**DiBartolomeis, S. M. and Gerbi, S. A.,** Molecular Characterization of DNA Puff II/9A Genes in *Sciara coprophila* . . . . . 531

**Cheng, H. and Bjerknes, M.,** Asymmetric Distribution of Actin mRNA and Cytoskeletal Pattern Generation in Polarized Epithelial Cells . . . . . 541

**Makino, K., Shinagawa, H., Amemura, M., Kawamoto, T., Yamada, M. and Nakata, A.,** Signal Transduction in the Phosphate Regulon of *Escherichia coli* Involves Phosphotransfer Between PhoR and PhoB Proteins . . . . . 551

**Kittle, J. D., Simons, R. W., Lee, J. and Kleckner, N.,** Insertion Sequence IS*10* Anti-sense Pairing Initiates by an Interaction Between the 5′ End of the Target RNA and a Loop in the Anti-sense RNA . . . . . 561

**Izaurralde, E., Käs, E. and Laemmli, U. K.,** Highly Preferential Nucleation of Histone H1 Assembly on Scaffold-associated Regions . . . . . 573

**Käs, E., Izaurralde, E. and Laemmli, U. K.,** Specific Inhibition of DNA Binding to Nuclear Scaffolds and Histone H1 by Distamycin. The Role of Oligo(dA)·Oligo(dT) Tracts . . . . . 587

**Ely, K. R., Herron, J. N., Harker, M. and Edmundson, A. B.,** Three-dimensional Structure of a Light Chain Dimer Crystallized in Water. Conformational Flexibility of a Molecule in Two Crystal Forms . . . . . 601

**Sessions, R. B., Dauber-Osguthorpe, P. and Osguthorpe, D. J.,** Filtering Molecular Dynamics Trajectories to Reveal Low-frequency Collective Motions: Phospholipase $A_2$. 617

**Holak, T. A., Gondol, D., Otlewski, J. and Wilusz, T.,** Determination of the Complete Three-dimensional Structure of the Trypsin Inhibitor from Squash Seeds in Aqueous Solution by Nuclear Magnetic Resonance and a Combination of Distance Geometry and Dynamical Simulated Annealing . . . . . 635

**Holak, T. A., Bode, W., Huber, R., Otlewski, J. and Wilusz, T.,** Nuclear Magnetic Resonance Solution and X-ray Structures of Squash Trypsin Inhibitor Exhibit the Same Conformation of the Proteinase Binding Loop . . . . . 649

Letters to the Editor

**Podlubnaya, Z. A., Shpagina, M. D. and Lednev, V. V.,** Manifestation of the Stripes of Minor Proteins Location in A-Bands of Rabbit Cardiac Myofibrils . . . 655

**Lang, V., Gualerzi, C. and McCarthy, J. E. G.,** Ribosomal Affinity and Translational Initiation in *Escherichia coli*. *In vitro* Investigations Using Translational Initiation Regions of Differing Efficiencies from the *atp* Operon . . . . . 659

**McNally, E. M., Kraft, R., Bravo-Zehnder, M., Taylor, D. A. and Leinwand, L. A.,** Full-length Rat Alpha and Beta Cardiac Myosin Heavy Chain Sequences. Comparisons Suggest a Molecular Basis for Functional Differences . . . 665

**Babij, P. and Periasamy, M.,** Myosin Heavy Chain Isoform Diversity in Smooth Muscle is Produced by Differential RNA Processing . . . . . 673

**Zeng, J. and Fenna, R. E.,** Tetragonal Crystals of Canine Myeloperoxidase Suitable for X-ray Structural Analysis . . . . . 681

**Lee, X., Johnston, R. A. Z., Rose, D. R. and Young, N. M.,** Crystallization and Preliminary X-ray Diffraction Studies of the Complex of *Maclura pomifera* Agglutinin with the Disaccharide Gal$\beta$1-3GalNAc . . . . . 685

## Number 4, 20 December 1989

**Beck, P. J., Gonzalez, S., Ward, C. L. and Molineux, I. J.,** Sequence of Bacteriophage T3 DNA from Gene *2.5* Through Gene *9* . . . . . 687

**Kamimura, N., Ishii, S., Liandong, M. and Shay, J. W.,** Three Separate Mitochondrial DNA Sequences are Contiguous in Human Genomic DNA . . . . . 703

**Tartaglia, L. A., Storz, G. and Ames, B. N.,** Identification and Molecular Analysis of *oxyR*-Regulated Promoters Important for the Bacterial Adaptation to Oxidative Stress 709

**Ooi, B. G., Rankin, C. and Miller, L. K.,** Downstream Sequences Augment Transcription from the Essential Initiation Site of a Baculovirus Polyhedrin Gene . . . . 721

**Palmero, I. and Sastre, L.,** Complementary DNA Cloning of a Protein Highly Homologous to Mammalian Sarcoplasmic Reticulum Ca-ATPase from the Crustacean *Artemia* . 737

**Davison, A. J. and Moss, B.,** Structure of Vaccinia Virus Early Promoters . . . 749

**Davison, A. J. and Moss, B.,** Structure of Vaccinia Virus Late Promoters . . . 771

**Summers, N. L. and Karplus, M.,** Construction of Side-chains in Homology Modelling. Application to the C-terminal Lobe of Rhizopuspepsin. . . . . 785

**Bartunik, H. D., Summers, L. J. and Bartsch, H. H.,** Crystal Structure of Bovine β-Trypsin at 1·5 Å Resolution in a Crystal Form with Low Molecular Packing Density. Active Site Geometry, Ion Pairs and Solvent Structure . . . . . 813

**Popot, J.-L., Engelman, D. M., Gurel, O. and Zaccaï, G.,** Tertiary Structure of Bacteriorhodopsin. Positions and Orientations of Helices A and B in the Structural Map Determined by Neutron Diffraction . . . . . 829

**Shen, Q., Simplaceanu, V., Cottam, P. F. and Ho, C.,** Proton Nuclear Magnetic Resonance Studies on Glutamine-binding Protein from *Escherichia coli*. Formation of Intermolecular and Intramolecular Hydrogen Bonds upon Ligand Binding . . . 849

**Shen, Q., Simplaceanu, V., Cottam, P. F., Wu, J.-L., Hong, J.-S. and Ho, C.,** Molecular Genetic, Biochemical and Nuclear Magnetic Resonance Studies on the Role of the Tryptophan Residues of Glutamine-binding Protein from *Escherichia coli* . . . 859

**Letters to the Editor**

**Nguyen, H. T. and Minton, K. W.,** Extensive Photodimerization of Non-adjacent Pyrimidines . . . . . 869

**Lewit-Bentley, A., Doublié, S., Fourme, R. and Bodo, G.,** Crystallization and Preliminary X-ray Studies of Human Vascular Anticoagulant Protein . . . 875

**Samama, J. P., Delarue, M., Mourey, L., Choay, J. and Moras, D.,** Crystallization and Preliminary Crystallographic Data for Bovine Antithrombin III . . . 877

**Wigley, D. B., Roper, D. I. and Cooper, R. A.,** Preliminary Crystallographic Analysis of 5-Carboxymethyl-2-hydroxymuconate Isomerase from *Escherichia coli* . . 881

**Gaboriaud, C., Vaney, M. C., Bachet, B., Le-Nguyen, D., Castro, B. and Mornon, J. P.,** Crystallization and Preliminary X-ray Study of Porcine Trypsin, Free and Complexed with *Ecballium elaterium* Trypsin Inhibitor, a Member of the Squash Inhibitors Family . . . . . 883

# Index to Volume 210


Abdel-Meguid, S. S. (see also Lim, L. W.), 239
Acetylcholinesterase gene, *Drosophila melanogaster*; structure, evolution and mutations, 15
Actin mRNA, asymmetric distribution; cytoskeletal pattern generation in polarized epithelial cells, 541
Actin monomers, insertion between the barbed ends of actin filaments and barbed end-bound insertin, 141
Adenovirus type 2 DNA, sequence-specific methylation in a downstream region of the late E2A promoter prevents protein binding, 411
Agglutinin, *Maclura pomifera*, complex with the disaccharide Galβ1-3GalNAc; crystallization and X-ray studies, 685
Alings, C. (see also Heinemann, U.), 369
Altuvia, S., Kornitzer, D., Teff, D. & Oppenheim, A. B., Alternative mRNA structures of the *c*III gene of bacteriophage λ determine the rate of its translation initiation, 265
Ambrose, C., Rajadhyaksha, A., Lowman, H. & Bina, M., Locations of nucleosomes on the regulatory region of simian virus 40 chromatin, 255
Amemiya, K., Conserved sequence elements upstream and downstream from the transcription initiation site of the *Caulobacter crescentus rrn*A gene cluster, 245
Amemura, M. (see also Makino, K.), 551
Ames, B. N. (see also Tartaglia, L. A.), 709
Amino acid changes in hyperfunctional rho factors, 39
Anti-sense RNA pairing, IS*10*; mechanism, 561
Antitermination by phage 82 Q protein; sequences required, 461
Antitermination by Q proteins of bacteriophages λ and 82; specificity and mechanism, 453
Antithrombin III, bovine; crystallization and crystallographic data, 877
Anti-tumoral 7H-pyrido[4,3-c]carbazole dimer induction of DNA deformation; $^{1}H$ and $^{31}P$ n.m.r. studies, 211
Arents, G. & Love, W. E., *Glycera dibranchiata* hemoglobin. Structure and refinement at 1·5 Å resolution, 149
*Artemia*, complementary DNA cloning of a protein highly homologous to mammalian sarcoplasmic reticulum Ca-ATPase, 737
*atp* operon, *E. coli*; ribosomal affinity and translational initiation, 659
Autodigestion and RecA-dependent cleavage of Ind⁻ mutant LexA proteins, 439
Azaurralde, E., Käs, E. & Laemmli, U. K., Highly preferential nucleation of histone H1 assembly on scaffold-associated regions, 573

Babij, P. & Periasamy, M., Myosin heavy chain isoform diversity in smooth muscle is produced by differential RNA processing, 673
Bachet, B. (see also Gaboriaud, C.), 883
*Bacillus subtilis gln* operon; regulation, 51
*Bacillus thermoproteolyticus* [4Fe–4S] ferredoxin, structure refined at 2·3 Å resolution, 383
Bacterial adaptation to oxidative stress; identification and molecular analysis of important *oxyR*-regulated promoters, 709
Bacterial ferredoxins: structural comparisons, 383
Bacteriophage 82 Q protein, sequences required for antitermination, 461
Bacteriophages λ and 82, specificity and mechanism of antitermination by Q proteins, 453
Bacteriophage λ *c*III gene; alternative mRNA structures determine the rate of translation initiation, 265
Bacteriophage T3 DNA, sequence from gene *2.5* to gene *9*, 687
Bacteriophage T4 lysozyme; contributions of left-handed helical residues to the structure and stability, 181
Bacteriorhodopsin tertiary structure; helices A and B in the structural map determined by neutron diffraction, 829
Baculovirus polyhedrin gene, downstream sequences augment transcription from the essential initiation site, 721
Bailey, J. E. (see also Khosla, C.), 79
Bartsch, H. H. (see also Bartunik, H. D.), 813
Bartunik, H. D., Summers, L. J. & Bartsch, H. H., Crystal structure of bovine β-trypsin at 1·5 Å resolution in a crystal form with low molecular weight packing density. Active site geometry, ion pairs and solvent structure, 813
Beck, P. J., Gonzalez, S., Ward, C. L. & Molineux, I. J., Sequence of bacteriophage T3 DNA from gene *2.5* through gene *9*, 687
Becker, M. M. & Wang, Z., Origin of ultraviolet damage in DNA, 429
Beglov, D. B. (see also Lipanov, A. A.), 339
Berchtold, M. W., Parvalbumin genes from human and rat are identical in intron/exon organization and contain highly homologous regulatory elements and coding sequences, 417
Berge, J.-B. (see also Fournier, D.), 15
Betzel, Ch. (see also Gros, P.), 347
Bina, M. (see also Ambrose, C.), 255
Birefringence and X-ray diffraction measurements in study of myosin crossbridge orientation in demembranated muscle fibres, 113
Bjerknes, M. (see also Cheng, H.), 541
Blow, D. M. (see also Onesti, S.), 241
Bode, W. (see also Holak, T. A.), 649
Bodo, G. (see also Lewit-Bentley, A.), 875
Boublik, M. (see also Mandiyan, V.), 323
Bovine antithrombin III, crystallization and crystallographic data, 877
Bovine β-trypsin crystal structure at 1·5 Å resolution in a crystal form with low molecular packing density, 813
Bravo-Zehnder, M. (see also McNally, E. M.), 665
Brayer, G. D. (see also Louie, G. V.), 313
Brick, P. (see also Onseti, S.), 241
Bride, J.-M. (see also Fournier, D.), 15
Brown, S. W. (see also Schreier, H. J.), 51
Buck, M. (see also Morett, E.), 65

*c*III gene of bacteriophage λ, alternative mRNA structures determine the rate of translation initiation, 265
Ca-ATPase, sarcoplasmic reticulum, mammalian; complementary DNA cloning of a highly homologous protein from the crustacean *Artemia*, 737
Canine myeloperoxidase tetragonal crystals suitable for X-ray structural analysis, 681
5-Carboxymethyl-2-hydroxymuconate isomerase from *E. coli*; crystallographic analysis, 881
Cardiac myofibrils, rabbit; manifestation of the stripes of minor proteins location in A-bands, 655
Cardiac myosin heavy chain sequences, alpha and beta, rat; molecular basis for functional differences, 665
Castro, B. (see also Gaboriaud, C.), 883
Catalytic cycle of glutathione reductase, 163
*Caulobacter crescentus rrnA* gene cluster, conserved sequence elements upstream and downstream from the transcription initiation site, 245
Cawston, T. E. (see also Lloyd, L. F.), 237
cDNA sequencing and peptide analysis in determination of primary structure of the silk fibrion light chain, 127
Centromeric satellite DNA of mouse; instability associated with chromosomal recombination and breakage, 303
Chapman, J. A. (see also Hulmes, D. J. S.), 337
Chapman, M. S. (see also Kim, S.), 91
Chatterjee, B. & Lo, C. W., Chromosomal recombination and breakage associated with instability in mouse centromeric satellite DNA, 303
Cheng, H. & Bjerknes, M., Asymmetric distribution of actin mRNA and cytoskeletal pattern generation in polarized epithelial cells, 541
Chi recombinational hotspots, activation by RecBCD-like enzymes from enteric bacteria, 485
Choay, J. (see also Samama, J. P.), 877
Chromatin, SV40; locations of nucleosomes on the regulatory region, 255

Chromosomal recombination and breakage associated with instability in mouse centromeric satellite DNA, 303
Chuprina, V. P. (see also Lipanov, A. A.), 399
Clark, I. M. (see also Lloyd, L. F.), 237
Cleavage, RecA-dependent, of Ind⁻ mutant LexA proteins, 439
Cohen-Addad, C. (see also Lehmann, M. S.), 235
Collagen, type I, fibrils; pleomorphism produced by persistence of the procollagen N-propeptide, 337
Collagenase, synovial, porcine; crystallization and X-ray analysis, 237
Conformational changes, protein-induced, in 16 S rRNA during the initial assembly steps of the *E. coli* 30 S ribosomal subunit, 323
Conformational flexibility of a molecule in two crystal forms; three-dimensional structure of a light chain dimer crystallized in water, 601
Cooper, R. A. (see also Wigley, D. B.), 881
Cottam, P. F. (see also Shen, Q.), 849, 859
Cowing, D. W. & Gross, C. A., Interaction of *Escherichia coli* RNA polymerase holoenzyme containing $\sigma^{32}$ with heat shock promoters. DNase I footprinting and methylation protection, 513
Cowing, D. W., Mecsas, J., Record, M. T., Jr & Gross, C. A., Intermediates in the formation of the open complex by RNA polymerase holoenzyme containing the sigma factor $\sigma^{32}$ at the *groE* promoter, 521
Crossbridge orientation, myosin, in demembranated muscle fibres studied by birefringence and X-ray diffraction measurements, 113
Crystal forms, two, of thermitase-eglin-c complex, differing in calcium content, 347
Crystal structure of bovine $\beta$-trypsin at 1·5 Å resolution in a crystal form with low molecular packing density, 813
Crystals, tetragonal, of canine myeloperoxidase suitable for X-ray structural analysis, 681
Crystallization of bovine antithrombin III, 877
Crystallization of a light chain dimer in water; three-dimensional structure; conformational flexibility of a molecule in two crystal forms, 601
Crystallization and X-ray analysis of porcine synovial collagenase, 237
Crystallization and X-ray diffraction studies of the complex of *Maclura pomifera* agglutinin with the disaccharide Gal$\beta$1–3GalNAc, 685
Crystallization and X-ray diffraction studies of *Erythrina* trypsin inhibitor, 241
Crystallization and X-ray studies of human vascular anticoagulant protein, 875
Crystallization and X-ray study of porcine trypsin, free and complexed with *Ecballium elaterium* trypsin inhibitor, a member of the squash inhibitors family, 883
Crystallographic analysis of 5-carboxymethyl-2-hydroxymuconate isomerase from *E. coli*, 881
Crystallographic data for soybean hydrophobic protein, 235
Crystallographic study of glycosylated recombinant human renin, 239
Crystallographic study of one turn of G/C-rich *B*-DNA, 369
C-terminal lobe of rhizopuspepsin; application of construction of side-chains in homology modelling, 785
Cummings, C. (see also Hulmes, D. J. S.), 337
Cytoskeletal pattern generation in polarized epithelial cells, and asymmetric distribution of actin mRNA, 541

Dauber-Osguthorpe, P. (see also Sessions, R. B.), 617
Dauter, Z. (see also Gros, P.), 347
Davison, A. J. & Moss, B., Structure of vaccinia virus early promoters, 749
Davison, A. J. & Moss, B., Structure of vaccinia virus late promoters. 771
Delarue, M. (see also Samama, J. P.), 877
Delepierre, M., Maroun, R., Garbay-Jaureguiberry, C., Igolen, J. & Roques, B. P., $^{1}$H and $^{31}$P nuclear magnetic resonance studies of the difference in DNA deformation induced by anti-tumoral 7H-pyrido[4,3-c]carbazole dimers, 211
De Murcia, G. (see also Ménissier-de Murcia, J.), 229
DNA, adenovirus type 2; sequence-specific methylation in a downstream region of the late E2A promoter prevents protein binding, 411
DNA *B* to *D* transition can be explained in terms of hydration economy of the minor groove atoms, 399
DNA binding to nuclear scaffolds and histone H1 is specifically inhibited by distamycin; the role of oligo(dA)·oligo(dT) tracts, 587
DNA cloning of a protein highly homologous to mammalian sarcoplasic reticulum Ca-ATPase from the crustacean *Artemia*, 737
DNA complexes with RecA protein; visualization by quick-freeze/deep-etch electron microscopy, 473
DNA deformation induced by anti-tumoral 7H-pyrido[4,3-c]-carbazole dimers; $^{1}$H and $^{31}$P n.m.r. studies, 211
DNA puff II/9A in *Sciara coprophila*; molecular characterization, 531
DNA, satellite, centromeric, of mouse; instability associated with chromosomal recombination and breakage, 303
DNA sequences, mitochondrial, three are contiguous in human genomic DNA, 703
DNA, T3, sequence from gene *2.5* through gene *9*, 687
DNA, origin of ultraviolet damage, 429
DNA, zinc-binding domain of poly(ADP-ribose)polymerase participates in the recognition of single strand breaks, 229
DNA (see also Ribosomal DNA)
*B*-DNA, G/C-rich, crystallographic study of one turn, 369
DNase I footprinting and methylation protection; interaction of *E. coli* RNA polymerase holoenzyme containing $\sigma^{32}$ with heat shock promoters, 513
Diana, G. D. (see also Kim, S.), 91
DiBartolomeis, S. M. & Gerbim, S. A., Molecular characterization of DNA puff II/9A genes in *Sciara coprophila*, 531
Distamycin in specific inhibition of DNA binding to nuclear scaffolds and histone H1; role of oligo(dA)·oligo(dT) tracts, 587
Doerfler, W. (see also Hermann, R.), 411
Doublié, S. (see also Lewit-Bentley, A.), 875
*Drosophila melanogaster* acetylcholinesterase gene; structure, evolution and mutations, 15
Dutko, F. J. (see also Kim, S.), 91

E2A late promoter of adenovirus type 2 DNA; sequence-specific methylation in a downstream region prevents protein binding, 411
*Ecballium elaterium* trypsin inhibitor complexed with porcine trypsin; crystallization and X-ray study, 833
Edelman, J. & White, S. H., Linear optimization of predictors for secondary structure. Application to transbilayer segments of membrane proteins, 195
Edmundson, A. B. (see also Ely, K. R.), 601
Eglin-c (see also Thermitase-elgin-c), 347
82 (see also Bacteriophage), 453, 461
Electron microscopy, quick-freeze/deep-etch, in visualization of RecA protein and its complexes with DNA, 473
Ely, K. R., Herron, J. N., Harker, M. & Edmundson, A. B., Three-dimensional structure of a light chain dimer crystallized in water. Conformational flexibility of a molecule in two crystal forms, 601
Engelman, D. M. (see also Popot, J.-L.), 829
Enteric bacterial RecBCD-like enzymes in activation of Chi recombinational hotspots, 485
Erratum, 243
*Erythrina* trypsin inhibitor, crystallization and diffraction studies, 241
*Escherichia coli*, cleavage by RNase III in the transcripts of the *metY-nusA-infB* operon releases the tRNA and initiates the decay of the downstream mRNA, 293
*Escherichia coli*, crystallographic analysis of 5-carboxymethyl-2-hydroxymuconate isomerase, 881
*Escherichia coli* glutamine-binding protein; proton n.m.r. studies; formation of intermolecular and intramolecular hydrogen bonds upon ligand binding, 849

*Escherichia coli* glutamine-binding protein; role of the tryptophan residues, 859
*Escherichia coli* K-12, genetic analysis of the switch that controls porin gene expression, 281
*Escherichia coli*, partial export of *Vitreoscilla* hemoglobin into the periplasmic space, 79
*Escherichia coli*, ribosomal affinity and translational initiation, 659
*Escherichia coli* 30 S ribosomal subunit; protein-induced conformational changes in 16 S rRNA during the initial assembly steps, 323
*Escherichia coli* RNA polymerase holoenzyme containing $\sigma^{32}$, interaction with heat shock promoters; DNase I footprinting and methylation protection, 513
*Escherichia coli*, signal transduction in the phosphate regulon involves phosphotransfer between PhoR and PhoB proteins, 551
E $\sigma^{32}$ footprinting on heat shock promoters, 513
E $\sigma^{32}$ open complex formation; intermediates, 521
Evolution of *Drosophila melanogaster* acetylcholinesterase gene, 15

Felock, P. J. (see also Kim, S.), 91
Fenna, R. E. (see also Zeng, J.), 681
Ferredoxins, bacterial; structural comparisons, 383
Fibroin light chain, silk; primary structure determined by cDNA sequencing and peptide analysis, 127
Filtering molecular dynamics trajectories to reveal low-frequency collective motions: phospholipase $A_2$, 617
5′ end of U3 snRNA can be crosslinked *in vivo* to the external transcribed spacer of rat ribosomal RNA precursors, 497
Folding of 16 S rRNA into its compact form in 30 S ribosomal subunit of *E. coli*; study of mechanism, 323
Fourme,, R. (see also Lewit-Bentley, A.), 875
Fournier, D., Karch, F., Bride, J.-M., Hall, L. M. C., Berge, J.-B. & Spierer, P., *Drosophila melanogaster* acetylcholinesterase gene. Structure, evolution and mutations, 15
Fukuyama, K., Matsubara, H., Tsukihara, T. & Katsube, Y., Structure of [4Fe–4S] ferredoxin from *Bacillus thermoproteolyticus* refined at 2·3 Å resolution. Structural comparisons of bacterial ferredoxins, 383

Gaboriaud, C., Vaney, M. C., Bachet, B., Le-Nguyen, D., Castro, B. & Mornon, J. P., Crystallization and preliminary X-ray study of porcine trypsin, free and complexed with *Ecballium elaterium* trypsin inhibitor, a member of the squash inhibitors family, 883
Gaertner, A. (see also Ruhnau, K.), 141
Gal$\beta$1-3GalNAc complex with *Maclura pomifera* agglutinin, crystallization and X-ray diffraction studies, 685
Garbay-Jaureguiberry, C. (see also Delepierre, M.), 211
G/C-rich *B*-DNA; crystallographic study of one turn, 369
Genetic analysis of the switch that controls porin gene expression in *E. coli* K-12, 281
Gerbi, S. A. (see also DiBartolomeis, S. M.), 531
Gerbi, S. A. (see also Kerrebrock, A. W.), 1
Gierse, J. K. (see also Lim, L. W.), 239
*glnR* gene product and regulation of *Bacillus subtilis* glutamine synthetase gene expression, 51
Glutamine-binding protein from *E. coli*; proton n.m.r. studies; formation of intermolecular and intramolecular hydrogen bonds upon ligand binding 849
Glutamine-binding protein from *E. coli*; role of the tryptophan residues, 859
Glutathione reductase catalytic cycle, 163
*Glycera dibranchiata* hemoglobin, structure and refinement at 1·5 Å resolution, 149
Glycosylated recombinant human renin, crystallographic study, 239
Gly82 variant of yeast iso-1-cytochrome *c*; occurrence of polypeptide chain-refolding event, 313
Gonzalez, S. (see also Beck, P. J.), 687
Goliger, J. A. & Roberts, J. W., Sequences required for antitermination by phage 82 Q protein, 461
Goliger, J. A. (see also Yang, X.), 453
Gondol, D. (see also Holak, T. A.), 635
Gradwohl, G. (see also Ménissier-de Murcia, J.), 229
Griffith, J. (see also Heuser, J.), 473
*groE* promoter, interaction with E $\sigma^{32}$, 521
Gros, P., Betzel, Ch., Dauter, Z., Wilson, K. S. & Hol, W. G. J., Molecular dynamics refinement of a thermitase-eglin-c complex at 1·98 Å resolution and comparison of two crystal forms that differ in calcium content, 347
Gross, C. A. (see also Cowing, D. W.), 513, 521
Grunberg-Manago, M. (see also Régnier, P.), 293
Gualerzi, C. (see also Lang, V.), 659
Gurel, O. (see also Popot, J.-L.), 829

Hainfeld, J. F. (see also Mandiyan, V.), 323
Hall, L. M. C. (see also Fournier, D.), 15
Harker, M. (see also Ely, K. R.), 601
Harper, G. P. (see also Lloyd, L. F.), 237
Heat shock promoters, interaction with *E. coli* RNA polymerase holoenzyme containing $\sigma^{32}$; DNase I footprinting and methylation protection, 513
Heinemann, U. & Alings, C., Crystallographic study of one turn of G/C-rich *B*-DNA, 369
Hemoglobin, *Glycera dibranchiata*; structure and refinement at 1·5 Å resolution, 149
Hemoglobin, *Vitreoscilla*; partial export into the periplasmic space in *Escherichia coli*, 79
Hermann, R., Hoeveler, A. & Doerfler, W., Sequence-specific methylation in a downstream region of the late E2A promoter of adenovirus type 2 DNA prevents protein binding, 411
Herron, J. N. (see also Ely, K. R.), 601
Heuser, J. & Griffith, J., Visualization of RecA protein and its complexes with DNA by quick-freeze/deep-etch electron microscopy, 473
Hirschi, K. D. (see also Schreier, H. J.), 51
Histone H1 assembly on scaffold-associated regions; highly preferential nucleation, 573
Histone, H1, specific inhibition of DNA binding by distamycin; role of oligo(dA)·oligo(dT) tracts, 587
Ho, C. (see also Shen, Q.), 849
Hoeveler, A. (see also Hermann, R.), 411
Hojima, Y. (see also Hulmes, D. J. S.), 337
Hol, W. G. J. (see also Gros, P.), 347
Holak, T. A., Gondol, D., Otlewskim, J. & Wilusz, T., Determination of the complete three-dimensional structure of the trypsin inhibitor from squash seeds in aqueous solution by nuclear magnetic resonance and a combination of distance geometry and dynamical simulated annealing, 635
Holak, T. A., Bode, W., Huber, R., Otlewski, J. & Wilusz, T., Nuclear magnetic resonance solution and X-ray structures of squash trypsin inhibitor exhibit the same conformation of the proteinase binding loop, 649
Holmes, D. F. (see also Hulmes, D. J. S.), 337
Homology modelling, construction of side-chains; application to the C-terminal lobe of rhizopuspepsin, 785
Hong, J.-S. (see also Shen, Q.), 859
Huber, R. (see also Holak, T. A.), 649
Hulmes, D. J. S., Kadler, K. E., Mould, A. P., Hojima, Y., Holmes, D. F., Cummings, C., Chapman, J. A. & Prockop, D. J., Pleomorphism in type I collagen fibrils produced by persistence of the procollagen N-propeptide, 337
Human genomic DNA contains three separate mitochondrial DNA sequences that are contiguous, 703
Human and rat parvalbumin genes are identical in intron/exon organization and contain highly homologous regulatory elements and coding sequences, 417
Human renin, recombinant, glycosylated; crystallographic study, 239
Human rhinovirus serotype 1A (HRV1A), crystal structure, 91
Human vascular anticoagulant protein; crystallization and X-ray studies, 875
Hydration economy of the minor groove atoms can explain DNA *B* to *D* transition, 399
Hydrophobic protein, soybean; crystallographic data, 235

Igolen, J. (see also Delepierre, M.), 211
IMAI, M. (see also Mori, H.), 39
Imai, M. (see also Tsurushita, N.), 23
Ind⁻ mutant LexA proteins, autodigestion and RecA-dependent cleavage, 439
Insertin, insertion of actin monomers, 141
Insertion sequence IS*10* anti-sense pairing initiates by an interaction between the 5′ end of the target RNA and a loop in the anti-sense RNA, 561
Intron/exon organization of parvalbumin genes from human and rat, 417
Irving, M. (see also Peckham, M.), 113
Ishii, S. (see also Kamimura, N.), 703
Iso-1-cytochrome *c*, yeast; a polypeptide chain-refolding event occurs in the Gly82 variant, 313
Izaurralde, E. (see also Käs, E.), 587

Johnston, R. A. Z. (see also Lee, X.), 685

Kadler, K. E. (see also Hulmes, D. J. S.), 337
Kamimura, N., Ishii, S., Liandong, M. & Shay, J. W., Three separate mitochondrial DNA sequences are contiguous in human genomic DNA, 703
Karch, F. (see also Fournier, D), 15
Karplus, M. (see also Summers, N. L.), 785
Karplus, P. A. & Schulz, G. E., Substrate binding and catalysis by glutathione reductase as derived from refined enzyme: substrate crystal structures at 2 Å resolution, 163
Käs, E., Izaurralde, E. & Laemmli, U. K., Specific inhibition of DNA binding to nuclear scaffolds and histone H1 by distamycin. The role of oligo(dA)·oligo(dT) tracts, 587
Käs, E. (see also Azaurralde, E.), 573
Katsube, Y. (see also Fukuyama, K.), 383
Kawamoto, T. (see also Makino, K.), 551
Kerrebrock, A. W., Srivastava, R. & Gerbi, S. A., Isolation and characterization of ribosomal DNA variants from *Sciara coprophila*, 1
Khosla, C. & Bailey, J. E., Evidence for partial export of *Vitreoscilla* hemoglobin into the periplasmic space in *Escherichia coli*. Implications for protein function, 79
Kikuchi, A. (see also Yamaguchi, K.), 127
Kikuchi, Y. (see also Yamaguchi, K.), 127
Kim, S., Smith, T. J., Chapman, M. S., Rossmann, M. G., Pevear, D. C., Dutko, F. J., Felock, P. J., Diana, G. D. & McKinlay, M. A., Crystal structure of human rhinovirus serotype 1A (HRV1A), 91
Kittle, J. D., Simons, R. W., Lee, J. & Kleckner, N., Insertion sequence IS*10* anti-sense pairing initiates by an interaction between the 5′ end of the target RNA and a loop in the anti-sense RNA, 561
*Klebsiella pneumoniae nifH* promoter, *in vivo* studies on the interaction with RNA polymerase-$\sigma^{54}$; NifA role in formation of open promoter complex, 65
Kleckner, N. (see also Kittle, J. D.), 561
Kornitzer, D. (see also Altuvia, S.), 265
Kraft, R. (see also McNally, E. M.), 665

Laemmli, U. K. (see also Azaurralde, E.), 573
Laemmli, U. K. (see also Käs, E.), 587
λ (see also Bacteriophage), 265, 453
Lang, V., Gualerzi, C. & McCarthy, J. E. G., Ribosomal affinity and translational initiation in *Escherichia coli*. *In vitro* investigations using translational initiation regions of differing efficiencies from the *atp* operon, 659
Lednev, V. V. (see also Podlubnaya, Z. A.), 655
Lee, J. (see also Kittle, J. D.), 561
Lee, X., Johnston, R. A. Z., Rose, D. R. & Young, N. M., Crystallization and preliminary X-ray diffraction studies of the complex of *Maclura pomifera* agglutinin with the disaccharide Galβ-3GalNAc, 685
Left-handed helical residues in structure and stability of T4 lysozyme, 181
Lehmann, M. S., Pebay-Peyroula, E., Cohen-Addad, C. & Odani, S., Crystallographic data for soybean hydrophic protein, 235
Leimgruber, N. K. (see also Lim, L. W.), 239
Leinwand, L. A. (see also McNally, E. M.), 665
Le-Nguyen, D. (see also Gaboriaud, C.), 883
Lewit-Bentley, A., Doublié, S., Fourme, R. & Bodo, G., Crystallization and preliminary X-ray studies of human vascular anticoagulant protein, 875
LexA proteins, Ind⁻ mutant; autodigestion and RecA-dependent cleavage, 439
Liandong, M. (see also Kamimura, N.), 703
Light chain dimer crystallized in water, three-dimensional structure; conformational flexibility of a molecule in two crystal forms, 601
Light chain, fibroin, silk; primary structure determination by cDNA sequencing and peptide analysis, 127
Lim, L. W., Stegeman, R. A., Leimgruber, N. K., Gierse, J. K. & Abdel-Meguid, S. S., Preliminary crystallographic study of glycosylated recombinant human renin, 239
Lin, L.-L. & Little, J. W., Autodigestion and RecA-dependent cleavage of Ind⁻ mutant LexA proteins, 439
Lipanov, A. A., Beglov, D. B. & Chuprina, V. P., DNA *B* to *D* transition can be explained in terms of hydration economy of the minor groove atoms, 399
Little, J. W. (see also Lin, L.-L.), 439
Lloyd, L. F., Skarżyński, T., Wonacott, A. J., Cawston, T. E., Clark, I. M., Mannix, C. J. & Harper, G. P., Crystallization and preliminary X-ray analysis of porcine synovial collagenase, 237
Lloyd, L. F. (see also Onesti, S.), 241
Lo, C. W. (see also Chatterjee, B.), 303
Louie, G. V. & Brayer, G. D., A polypeptide chain-refolding event occurs in the Gly82 variant of yeast iso-1-cytochrome *c*, 313
Love, W. E. (see also Arents, G.), 149
Lowman, H. (see also Ambrose, C.), 255
Lysozyme, T4; contributions of left-handed helical residues to structure and stability, 181

McCarthy, J. E. G. (see also Lang, V.), 659
McKinlay, M. A. (see also Kim, S.), 91
McKittrick, N. H. & Smith, G. R., Activation of Chi recombinational hotspots by RecBCD-like enzymes from enteric bacteria, 485
*Maclura pomifera* agglutinin complex with the disaccharide Galβ1-3GalNAc, crystallization and preliminary X-ray diffraction studies, 685
McNally, E. M., Kraft, R., Bravo-Zehnder, M., Taylor, D. A. & Leinwand, L. A., Full-length rat alpha and beta cardiac myosin heavy chain sequences. Comparisons suggest a molecular basis for functional differences, 665
Makino, K., Shinagawa, H., Amemura, M., Kawamoto, T., Yamada, M. & Nakata, A., Signal transduction in the phosphate regulon of *Escherichia coli* involves phosphotransfer between PhoR and PhoB proteins, 551
Mammalian sarcoplasmic reticulum Ca-ATPase, complementary DNA cloning of a highly homologous protein from the crustacean *Artemia*, 737
Mandiyan, V., Tummina, S., Wall, J. S., Hainfeld, J. F. & Boublik, M., Protein-induced conformational changes in 16 S ribosomal RNA during the initial assembly steps of the *Escherichia coli* 30 S ribosomal subunit, 323
Mannix, C. J. (see also Lloyd, L. F.), 237
Maroun, R. (see also Delepierre, M.), 211
Matsubara, H. (see also Fukuyama, K.), 383
Matthews, B. W. (see also Nicholson, H.), 181
Mecsas (see also Cowing, D. W.), 521
Membrane protein bilayer segments; linear optimization of predictors for secondary structure, 195
Ménissier-de Murcia, J., Molinete, M., Gradwohl, G., Simonin, F. & De Murcia, G., Zinc-binding domain of poly(ADP-ribose)polymerase participates in the recognition of single strand breaks on DNA, 229
mRNA, actin, asymmetric distribution; ckytoskeletal pattern generation in polarized epithelial cells, 541
mRNA, downstream, decay initiation by cleavage by RNase III in the transcripts of the *metY-nusA-infB* operon of *E. coli*, 293

mRNA structures, alternative, of the cIII gene of bacteriophage λ determine the rate of its translation initiation, 265
Methylation, sequence-specific, in a downstream region of the late E2A promoter of adenovirus type 2 DNA prevents protein binding, 411
*metY-nusA-infB* operon transcripts, *E. coli*; cleavage by RNase III releases the tRNA and initiates the decay of the downstream mRNA, 293
Miller, L. K. (see also Ooi, B. G.), 721
Minton, K. W. (see also Nguyen, H. T.), 869
Mitochondrial DNA sequences, three, are contiguous in human genomic DNA, 703
Mizuno, S. (see also Yamaguchi, K.), 127
Molecular characterization of DNA puff 11/9A genes in *Sciara coprophila*, 531
Molecular dynamics refinement of a thermitase–eglin-c complex at 1·98 Å resolution and comparison of two crystal forms that differ in calcium content, 347
Molecular dynamics trajectories filtered to reveal low-frequency collective motions; phospholipase $A_2$, 617
Molinete, M. (see also Ménissier-de Murcia, J.), 229
Molineux, I. J. (see also Beck, P. J.), 687
Moras, D. (see also Samama, J. P.), 877
Morett, E. & Buck, M., *In vivo* studies on the interaction of RNA polymerase-$\sigma^{54}$ with the *Klebsiella pneumoniae* and *Rhizobium meliloti nifH* promoters. The role of NifA in the formation of an open promoter complex, 65
Mori, H., Imai, M. & Shigesada, K., Mutant rho factors with increased transcription termination activities. II. Identification and functional dissection of amino acid changes, 39
Mornon, J. P. (see also Gaboriaud, C.), 883
Moss, B. (see also Davison, A. J.), 749, 771
Motions, collective, low-frequency, revealed by filtering molecular dynamics trajectories; phospholipase $A_2$, 617
Mould, A. P. (see also Hulmes, D. J. S.), 337
Mourey, L. (see also Samma, J. P.), 877
Mouse centromeric satellite DNA instability associated with chromosomal recombination and breakage, 303
Muscle fibres, demembranated; myosin crossbridge orientation studied by birefringence and X-ray diffraction measurements, 113
Muscle, smooth; insertin protein in the insertion of actin monomers, 141
Muscle, smooth; myosin heavy chain isoform diversity is produced by differential RNA processing, 673
Mutant rho factors with increased transcription termination activities. Functional correlations of primary and secondary polynucleotide binding sites with the efficiency and site selectivity of rho dependent termination, 23
Mutant rho factors with increased transcription termination activities. Identification and functional dissection of amino acid changes, 39
Mutations of *Drosophila melanogaster* acetylcholinesterase gene, 15
Myeloperoxidase, canine, tetragonal crystals suitable for X-ray structural analysis, 681
Myofibrils, cardiac, rabbit; manifestation of the stripes of minor proteins location in A-bands, 655
Myosin crossbridge orientation in demembranated muscle fibres studied by birefringence and X-ray diffraction measurements, 113
Myosin heavy chain isoform diversity in smooth muscle is produced by differential RNA processing, 673
Myosin heavy chain sequences, cardiac, alpha and beta, rat; molecular basis for functional differences, 665

Nakata, A. (see also Makimo, K.), 551
Neutron diffraction studies of the tertiary structure of bacteriorhodopsin, 829
Nguyen, H. T. & Minton, K. W., Extensive photodimerization of non-adjacent pyrimidines, 869
Nicholson, H., Söderlind, E., Tronrud, D. E. & Matthews, B. W., Contributions of left-handed helical residues to the structure and stability of bacteriophage T4 lysozyme, 181
NifA role in formation of an open promoter complex; *in vivo* studies on interaction of RNA polymerase-$\sigma^{54}$ with the *Klebsiella pneumoniae* and *Rhizobium meliloti nifH* promoters, 65
Nomellini, J. F. (see also Schreier, H. J.), 51
Nuclear magnetic resonance, distance geometry and dynamical stimulated annealing in determination of the three-dimensional structure of trypsin inhibitor from squash seeds, 635
Nuclear magnetic resonance, proton, studies on glutamine-binding protein from *Escherichia coli*; formation of intermolecular and intramolecular hydrogen bonds upon ligand binding, 849
Nuclear magnetic resonance, $^{1}H$ and $^{31}P$, studies of the differences in DNA deformation induced by anti-tumoral 7H-pyrido[4,3-c]carbazole dimers, 211
Nuclear magnetic resonance solution and X-ray structures of squash trypsin inhibitor exhibit the same conformation of the proteinase binding loop, 649
Nuclear magnetic resonance studies on the role of the tryptophan residues of glutamine-binding protein from *E. coli*, 859
Nucleation, highly preferential, of histone H1 assembly on scaffold-associated regions, 573
Nucleosome locations on the regulatory region of SV40 chromatin, 255

Odani, S. (see also Lehmann, M. S.), 235
Oligo(dA)·oligo(dT) tracts, role in specific inhibition of DNA binding to nuclear scaffolds and histone H1, 587
Onesti, S., Lloyd, L. F., Brick, P. & Blow, D. M., Crystallization and preliminary diffraction studies of *Erythrina* trypsin inhibitor, 241
Ooi, B. G., Rankin, C. & Miller, L. K., Downstream sequences augment transcription from the essential initiation site of baculovirus polyhedrin gene, 721
Oppenheim, A. B. (see also Altuvia, S.), 265
Optimization of predictors for secondary structure; application to transbilayer segments of membrane proteins, 195
Osguthorpe, D. J. (see also Sessions, R. B.), 617
Otlewski, J. (see also Holak, T. A.), 635, 649
*OxyR*-regulated promoters important for the bacterial adaptation to oxidative stress; identification and molecular analysis, 709
Oyama, F. (see also Yamaguchi, K.), 127

Palmero, I. & Sastre, L., Complementary DNA cloning of a protein highly homologous to mammalian sarcoplasmic reticulum Ca-ATPase from the crustacean *Artemia*, 737
Parvalbumin genes from human and rat are identical in intron/exon organization and contain highly homologous regulatory elements and coding sequences, 417
Pebay-Peyroula, E. (see also Lehmann, M. S.), 235
Peckham, M. & Irving, M., Myosin crossbridge orientation in demembranated muscle fibres studied by birefringence and X-ray diffraction measurements, 113
Periasamy, M. (see also Babij, P.), 673
Pevear, D. C. (see also Kim, S.), 91
Phosphate regulon of *E. coli*; signal transduction involves phosphotransfer between PhoR and PhoB proteins, 551
Phospholipase $A_2$: filtering molecular dynamics trajectories to reveal low-frequency collective motions, 617
Photodimerization, extensive, of non-adjacent pyrimidines, 869
Pleomorphism in type I collagen fibrils produced by persistence of the procollagen N-propeptide, 337
Podlubnaya, Z. A., Shpagina, M. D. & Lednev, V. V., Manifestation of the stripes of minor proteins location in A-bands of rabbit cardiac myofibrils, 655
Polarized epithelial cells, cytoskeletal pattern generation; asymmetric distribution of actin mRNA, 541
Poly(ADP-ribose)polymerase zinc-binding domain participates in the recognition of single strand breaks on DNA, 229
Polyhedrin gene, baculovirus; downstream sequences augment transcription from the essential initiation site, 721

Popot, J.-L., Engelman, D. M., Gurel, O. & Zaccaï, G., Tertiary, structure of bacteriorhodopsin. Positions and orientations of helices A and B in the structural map determined by neutron diffraction, 829
Porcine synovial collagenase, crystallization and X-ray analysis, 237
Porcine trypsin, free and complexed with *Ecballium elaterium* trypsin inhibitor; crystallization and X-ray study, 883
Porin gene expression in *E. coli* K-12, genetic analysis of the controlling switch, 281
Prockop, D. J. (see also Hulmes, D. J. S.), 337
Promoters, early, of vaccinia virus; structure, 749
Promoters, late, of vaccinia virus; structure, 771
Protein binding is prevented by sequence-specific methylation in a downstream region of the late E2A promoter of adenovirus type 2 DNA, 411
Protein function; partial export of *Vitreoscilla* hemoglobin into the periplasmic space in *E. coli*, 79
Protein highly homologous to mammalian sarcoplasmic reticulum Ca-ATPase from the crustacean *Artemia*; complementary DNA cloning, 737
Proteinase binding loop has the same conformation in n.m.r. solution and X-ray structures of squash trypsin inhibitor, 649
Protein-induced conformational changes in 16 S ribosomal RNA during the initial assembly steps of the *E. coli* 30 S ribosomal subunit, 323
Pyrimidines, non-adjacent; extensive photodimerization, 869

Q protein, 82; sequences required for antitermination, 461
Q proteins, $\lambda$ and 82; specificity and mechanisms of antitermination, 453

Rabbit cardiac myofibrils, manifestation of the stripes of minor proteins location in A-bands, 655
Rajadhyaksha, A. (see also Ambrose, C.), 255
Rankin, C. (see also Ooi, B. G.), 721
Rat alpha and beta cardiac myosin heavy chain full-length sequences; molecular basis for functional differences, 665
Rat and human parvalbumin genes are identical in intron/exon organization and contain highly homologous regulatory elements and coding sequences, 417
Rat ribosomal RNA precursors, the 5′ end of U3 snRNA can be crosslinked *in vivo* to the external transcribed spacer, 497
RecA protein and its complexes with DNA; visualization by quick-freeze/deep-etch electron microscopy, 473
RecA-dependent cleavage of Ind$^-$ mutant LexA proteins, 439
RecBCD-like enzymes from enteric bacteria in activation of Chi recombinational hotspots, 485
Recombinant human renin, glycosylated; crystallographic study, 239
Record, M. T., Jr (see also Cowing, D. W.), 521
Refolding mutant of yeast iso-1-cytochrome *c*, 313
Régnier, P. & Grunberg-Manago, M., Cleavage by RNase III in the transcripts of the *metY-nusA-infB* operon of *Escherichia coli* releases the tRNA and initiates the decay of the downstream mRNA, 293
Regulation of *Bacillus subtilis* glutamine synthetase gene expression by the product of the *glnR* gene, 51
Regulatory elements and coding sequences, highly homologous, of parvalbumin genes from human and rat, 417
Regulatory region of SV40; locations of nucleosomes, 255
Renin, human, recombinant, glycosylated; crystallographic study, 239
Rhinovirus, human, serotype 1A; crystal structure, 91
*Rhizobium meliloti nifH* promoter, *in vivo* studies on interaction with RNA polymerase-$\sigma^{54}$; NifA role in formation of open promoter complex, 65
Rhizopuspepsin C-terminal lobe; application of construction of side-chains in homology modelling, 785
Rho, mutant, factors with increased transcription termination activities. Functional correlations of primary and secondary polynucleotide binding sites with the efficiency and site-selectivity of rho-dependent termination, 23
Rho, mutant, factors with increased transcription termination activities. Identification and functional dissection of amino acid changes, 39
RNA differential processing produces myosin heavy chain isoform diversity in smooth muscle, 673
RNA pairing, anti-sense, IS*10*; mechanism, 561
RNA polymerase holoenzyme containing $\sigma^{32}$, *E. coli*; interaction with heat shock proteins; DNase I footprinting and methylation protection, 513
RNA polymerase holoenzyme containing $\sigma^{32}$, intermediates in the formation of the open complex, 521
RNA polymerase-$\sigma^{54}$, *in vivo* studies on interaction with the *Klebsiella pneumoniae* and *Rhizobium meliloti nifH* promoters; role of NifA in formation of an open promoter complex, 65
RNase III cleavage in the transcripts of the *metY-nusA-infB* operon of *E. coli* releases the tRNA and initiates the decay of the downstream mRNA, 293
Ribosomal affinity and translational initiation in *Escherichia coli atp* operon, 659
Ribosomal DNA variants from *Sciara coprophila*, isolation and characterization, 1
Ribosomal RNA precursors, rat; the 5′ end of U3 snRNA can be crosslinked *in vivo* to the external transcribed spacer, 497
Ribosomal 16 S RNA, protein-induced conformational changes during the initial assembly steps of the *E. coli* 30 S ribosomal subunit, 323
Roberts, J. W. (see also Goliger, J. A.), 461
Roberts, J. W. (see also Yang, X.), 453
Roper, D. I. (see also Wigley, D. B.), 881
Roques, B. P. (see also Delepierre, M.), 211
Rose, D. R. (see also Lee, X.), 685
Rossmann, M. G. (see also Kim, S.), 91
*rrn*A gene cluster, *Caulobacter crescentus*; conserved sequence elements upstream and downstream from the transcription initiation site, 245
Ruhnau, K., Gaertner, A. & Wegner, A., Kinetic evidence for insertion of actin monomers between the barbed ends of actin filaments and barbed end-bound insertin, a protein purified from smooth muscle, 141

Samama, J. P., Delarue, M., Mourey, L., Choay, J. & Moras, D., Crystallization and preliminary crystallographic data for bovine antithrombin III, 877
Sarcoplasmic reticulum Ca-ATPase, mammalian; complementary DNA cloning of a highly homologous protein from the crustacean *Artemia*, 737
Sastre, L. (see also Palmero, I.), 737
Scaffold-associated regions; highly preferential nucleation of histone H1 assembly, 573
Scaffolds, nuclear, and histone H1; specific inhibition of DNA binding by distamycin; role of oligo(dA)·oligo(dT) tracts, 587
Schreier, H. J., Brown, S. W., Hirshi, K. D., Nomellini, J. F. & Sonenshein, A. L., Regulation of *Bacillus subtilis* glutamine synthetase gene expression by the product of the *glnR* gene, 51
Schulz, G. E. (see also Karplus, P. A.), 163
*Sciara coprophila*, molecular characterization of DNA puff II/9A genes, 531
*Sciara coprophila* ribosomal DNA variants, isolation and characterization, 1
Sequence of bacteriophage T3 DNA from gene *2.5* through gene *9*, 687
Sequences, DNA, mitochondrial, three, are contiguous in human genomic DNA, 703
Sequence elements, conserved, upstream and downstream from the transcription initiation site of the *Caulobacter crescentus rrn*A gene cluster, 245
Sequences, myosin heavy chain, cardiac, alpha and beta, rat; molecular basis for functional differences, 665
Sequences required for antitermination by phage 82 Q protein, 461
Sequence-specific methylation in a downstream region of the late E2A promoter of adenovirus type 2 DNA prevents protein binding, 411

Sessions, R. B., Dauber-Osguthorpe, P. & Osguthorpe, D. J., Filtering molecular dynamics trajectories to reveal low-frequency collective motions: phospholipase $A_2$, 617
7H-pyrido[4,3-c]carbazole dimer induction of DNA deformation; $^1H$ and $^{31}P$ n.m.r. studies, 211
Shay, J. W. (see also Kamimura, N.), 703
Shen, Q., Simplaceanu, V., Cottam, P. F. & Ho, C., Proton nuclear magnetic resonance studies on glutamine-binding protein from *Escherichia coli*. Formation of intermolecular and intramolecular hydrogen bonds upon ligand binding, 849
Shen, Q., Simplaceanu, V., Cottam, P. F., Wu, J.-L., Hong, J.-S. & Ho, C., Molecular genetic, biochemical and nuclear magnetic resonance studies on the role of the tryptophan residues of glutamine-binding protein from *Escherichia coli*, 859
Shigesada, K. (see also Mori, H.), 39
Shigesada, K. (see also Tsurushita, N.), 23
Shimura, K. (see also Yamaguchi, K.), 127
Shinagawa, H. (see also Makino, K.), 551
Shpagina, M. D. (see also Podlubnaya, Z. A.), 665
Side-chain construction in homology modelling. Application to the C-terminal lobe of rhizopuspepsin, 785
Silhavy, T. J. (see also Slauch, J. M.), 281
Silk fibroin light chain; primary structure determination by cDNA sequencing and peptide analysis, 127
Simian virus 40 (see also Virus), 255
Simonin, F. (see also Ménissier-de Murcia, J.), 229
Simons, R. W. (see also Kittle, J. D.), 561
Simplaceanu, V. (see also Shen, Q.), 849, 859
Single strand breaks on DNA, zinc-binding domain of poly(ADP-ribose)polymerase participates in recognition, 229
Skarżyński, T. (see also Lloyd, L. F.), 237
Slauch, J. M. & Silhavy, T. J., Genetic analysis of the switch that controls porin gene expression in *Escherichia coli* K-12, 281
Smith, G. R. (see also McKittrick, N. H.), 485
Smith, T. J. (see also Kim, S.), 91
Söderlind, E. (see also Nicholson, H.), 181
Sonenshein, A. L. (see also Schreier, H. J.), 51
Soybean hydrophobic protein, crystallographic data, 235
Spierer, P. (see also Fournier, D.), 15
Squash, *Ecballium elaterium* trypsin inhibitor, complexed with porcine trypsin; crystallization and X-ray study, 883
Squash seeds, trypsin inhibitor; determination of three-dimensional structure in aqueous solution by n.m.r. and a combination of distance geometry and dynamical simulated annealing, 635
Squash trypsin inhibitor; n.m.r. resonance solution and X-ray structures exhibit the same conformation of the proteinase binding loop, 649
Srivastava, R. (see also Kerrebrock, A. W.), 1
Stability of T4 lysozyme; contribution of left-handed helical residues, 181
Stegeman, R. A. (see also Lim, L. W.), 239
Storz, G. (see also Tartaglia, L. A.), 709
Stroke, I. L. & Weiner, A. M., The 5′ end of U3 snRNA can be crosslinked *in vivo* to the external transcribed spacer of rat ribosomal RNA precursors, 497
Structural comparisons of bacterial ferredoxins, 383
Structure, crystal, or bovine $\beta$-trypsin at 1·5 Å resolution in a crystal form with low molecular packing density, 813
Structure, crystal, of human rhinovirus serotype 1A (HRV1A), 91
Structure of *Drosophila melanogaster* acetylcholinesterase gene, 15
Structure of [4Fe–4S] ferredoxin from *Bacillus thermoproteolyticus* refined at 2·3 Å resolution, 383
Structure of G/C-rich *B*-DNA, 369
Structures of glutathione reductase complexes and derivatives at 2 Å resolution, 163
Structures, n.m.r. solution and X-ray, of squash trypsin inhibitor exhibit the same conformation of the proteinase binding loop, 649
Structure, primary, of the silk fibroin light chain determined by cDNA sequencing and peptide analysis, 127
Structure and refinement at 1·5 Å resolution of *Glycera dibranchiata* hemoglobin, 149
Structure, secondary; linear optimization of predictors; application to transbilayer segments of membrane proteins, 195
Structure of T4 lysozyme; contribution of left-handed helical residues, 181
Structure of thermitase–eglin-c complex at 1·98 Å resolution, and comparison of two crystal forms that differ in calcium content, 347
Structure, tertiary, of bacteriorhodopsin. Helices A and B in the structural map determined by neutron diffraction, 829
Structure, three-dimensional of a light chain dimer crystallized in water; conformational flexibility of a molecule in two crystal forms, 601
Structure, three-dimensional, of the trypsin inhibitor from squash seeds in aqueous solution; determination by n.m.r., distance geometry and dynamical simulated annealing, 635
Structure of vaccinia virus early promoters, 749
Structure of vaccinia virus late promoters, 771
Summers, L. J. (see also Bartunik, H. D.), 813
Summers, N. L. & Karplus, M., Construction of side-chains in homology modelling application to the C-terminal lobe of rhizopuspepsin, 785
Switch that controls porin gene expression in *E. coli* K-12; genetic analysis, 281
Synovial collagenase, porcine; crystallization and X-ray analysis, 237

T3 (see also Bacteriophage), 687
T4 (see also Bacteriophage), 181
Takagi, T. (see also Yamaguchi, K.), 127
Tartaglia, L. A., Storz, G. & Ames, B.M., Identification and molecular analysis of *oxyR*-regulated promoters important for the bacterial adaptation to oxidative stress, 709
Taylor, D. A. (see also McNally, E. M.), 665
Teff, D. (see also Altuvia, S.), 265
Thermitase–eglin-c complex, molecular dynamics refinement at 1·98 Å resolution; comparison of two crystal forms that differ in calcium content, 347
Transcription from the essential initiation site of a baculovirus polyhedrin gene is augmented by downstream sequences, 721
Transcription initiation site of the *Caulobacter crescentus rrn*A gene cluster; conserved sequence elements upstream and downstream, 245
Transcription termination activities, increased, of mutant rho factors. Functional correlations of primary and secondary polynucleotide binding sites with the efficiency and site-selectivity of rho-dependent termination, 23
Transcription termination activities, increased, of mutant rho factors. Identification and functional dissection of amino acid changes, 39
Transcripts of the *metY-nusA-infB* operon of *E. coli*, cleavage by RNase III releases the tRNA and initiates the decay of the downstream mRNA, 293
Transduction in the phosphate regulon of *E. coli* involves phosphotransfer between PhoR and PhoB proteins, 551
Transfer RNA is released by cleavage by RNase III in the transcripts of the *metY-nusA-infB* operon of *E. coli*, 293
Translational initiation and ribosomal affinity in *E. coli*, 659
Translation initiation rate is determined by alternative mRNA structures of the *c*III gene of bacteriophage $\lambda$, 265
Tronrud, D. E. (see also Nicholson, H.), 181
Trypsin inhibitor, *Ecballium elaterium*, complexed with porcine trypsin; crystallization and X-ray study, 883
Trypsin inhibitor, *Erythrina*, crystallization and diffraction studies, 241
Trypsin inhibitor, squash; n.m.r. solution and X-ray structures exhibit the same conformation of the proteinase binding loop, 649
Trypsin inhibitor from squash seeds; determination of three-dimensional structure in aqueous solution by n.m.r. and a combination of distance geometry and dynamical simulated annealing, 635

Trypsin, porcine, free and complexed with *Ecballium elaterium* trypsin inhibitor; crystallization and X-ray study, 883
$\beta$-Trypsin, bovine crystal structure at 1·5 Å resolution in a crystal form with low molecular packing density, 813
Tryptophan residues of glutamine-binding protein from *E. coli*; roles, 859
Tsukihara, T. (see also Fukuyama, K.), 383
Tsurushita, N., Shigesada, K. & Imai, M., Mutant rho factors with increased transcription termination activities. I. Functional correlations of the primary and secondary polynucleotide binding sites with the efficiency and site-selectivity of rho-dependent termination, 23
Tumminia, S. (see also Mandiyan, V.), 323

U3 snRNA 5′ end can be crosslinked *in vivo* to the external transcribed spacer of rat ribosomal RNA precursors, 497
Ultraviolet damage in DNA; origin, 429

Vaccinia (see also Virus), 749, 771
Vaney, M. C. (see also Gaboriaud, C.), 883
Vascular anticoagulant protein, human; crystallization and X-ray studies, 875
Virus, HRV1A; crystal structure, 91
Virus, SV40, chromatin; location of nucleosomes on the regulatory region, 255
Virus, vaccinia; structure of early promoters, 749
Virus, vaccinia; structure of late promoters, 771
Visualization of RecA protein and its complexes with DNA by quick-freeze/deep-etch electron microscopy, 473
*Vitreoscilla* hemoglobin, partial export into the periplasmic space in *Escherichia coli*, 79

Wall, J. S. (see also Mandiyan, V.), 323
Wang, Z. (see also Becker, M. M.), 429
Ward, C. L. (see also Beck, P. J.), 687
Wegner, A. (see also Ruhnau, K.), 141
Weiner, A. M. (see also Stroke, I. L.), 497
White, S. H. (see also Edelman, J.), 195
Wigley, D. B., Roper, D. I. & Cooper, R. A., Preliminary crystallographic analysis of 5-carboxymethyl-2-hydroxymuconate isomerase from *Escherichia coli*, 881
Wilson, K. S. (see also Gros, P.), 347
Wilusz, T. (see also Holak, T. A.), 635, 649
Wonacott, A. J. (see also Lloyd, L. F.), 237
Wu, J.-L. (see also Shen, Q.), 859

X-ray analysis of porcine synovial collagenase, 237
X-ray diffraction data for bovine antithrombin III, 877
X-ray diffraction measurements in study of myosin crossbridge orientation in demembranated muscle fibres, 113
X-ray diffraction studies of the complex of *Maclura pomifera* agglutinin with the disaccharide Gal$\beta$1-3GalNAc, 685
X-ray diffraction studies of *Erythrina* trypsin inhibitor, 241
X-ray structures of glutathione reductase complexes and derivatives at 2 Å resolution, 163
X-ray structure and n.m.r. solution structure of squash trypsin inhibitor exhibit the same conformation of the proteinase binding loop, 649
X-ray studies of human vascular anticoagulant protein, 875
X-ray study of porcine trypsin, free and complexed with *Ecballium elaterium* trypsin inhibitor, a member of the squash inhibitors family, 883

Yamaguchi, K., Kikuchi, Y., Takagi, T., Kikuchi, A., Oyama, F., Shimura, K. & Mizuno, S., Primary structure of the silk fibroin light chain determined by cDNA sequencing and peptide analysis, 127
Yamada, M. (see also Makino, K.), 551
Yang, X., Goliger, J. A. & Roberts, J. W., Specificity and mechanism of antitermination by Q proteins of bacteriophages $\lambda$ and 82, 453
Yeast iso-1-cytochrome *c*, a polypeptide chain-refolding event occurs in the Gly82 variant, 313
Young, N. M. (see also Lee, X.), 685

Zaccaï, G. (see also Popot, J.-L.), 829
Zeng, J. & Fenna, R. E., Tetragonal crystals of canine myeloperoxidase suitable for X-ray structural analysis, 681
Zinc-binding domain of poly(ADP-ribose)polymerase participates in the recognition of single strand breaks on DNA, 229